

The PROFESSIONAL STANDARD







Our Edge

PLS manufactures the highest quality layout tools for the professional contractor.

We are dedicated to designing rugged and accurate laser tools for a lifetime of increased productivity and profit.

Fast, accurate and portable, PLS lasers save time and money versus traditional layout methods using bubble vials, plumb bobs or complex measurements.

Compare the advantages of using a PLS laser to traditional methods you now employ. When comparing PLS laser tools look for these quality features:

- Beam quality will be bright, thin and crisp
- Drop tested with water and dust Ingress Protection (IP)
- 3. Designed for the professional contractor with self-leveling technology

Our History

What sets PLS apart from the rest? Built by contractors for contractors, PLS tools were developed out of necessity by professionals with over 50 years of experience in commercial and residential interior and exterior layout. PLS founders were contractors first before becoming manufacturers of the finest laser alignment tools in the world.

Find us on PLSLaser.com

Visit the PLS Website for:

- Product tutorials
- · Upcoming PLS events
- Product manuals
- · Where to buy

Follow PLS!



🦅 @ PLSLaser



o PLSLaser



www.facebook.com/PacificLaserSystems/





PLS 3G



PLS 5G



PLS 180G



PLS 6G



PLS H2



PLS HV2G



PLS 3X360G

Application guide

	Point lasers		sers Line lasers	
Applications	PLS 3	PLS 5	PLS 180	PLS 3X360
Framing	•	•	•	
Finish carpentry	•	•	•	•
Foundations		•	•	•
Floor and tile			•	
Acoustic ceiling			•	•
Painting			•	•
Electrical	•	•	•	
HVAC	•	•	•	
Window and glass	•	•	•	
Excavation				•





	Combo lasers		Rotary	lasers
FT90	PLS 6	PLS 3X360	H2	HV2
	•	•	•	•
	•	•		
	•	•	•	•
•	•	•		
	•	•	•	•
	•	•		
	•	•		
	•	•		
	•	•	•	•
		•	•	•



PLS 3R, 3G

3-point laser

This self-leveling three-point red and green laser level allows for fast, accurate layout of plumb reference points and is excellent for steel stud framing, HVAC installation, electrical installation, and residential construction.

- In red and green
- Quick plumb layout and installation
- Pendulum lock



PLS 3R



PLS 3G

Class II Laser Product

	Olado II Eadoi I Todaot
PLS Part #	Description
PLS 3R Z	3-point red laser bare tool
	Included: PLS 3R laser level, PLS FS Floor Stand, PLS canvas pouch, PLS BP5 alkaline battery pack
PLS 3R KIT	3-Point Red Laser Kit
	Included: PLS 3R laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS FS Floor Stand, PLS MLB Magnetic L-Bracket, PLS RRT4 Red Reflective Target
PLS 3G Z	3-point green laser bare tool
	Included: PLS 3G laser level, PLS canvas pouch, PLS BP5 alkaline battery pack
PLS 3G KIT	3-point green laser kit
	Included: PLS 3G laser level, PLS FS Floor Stand, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS FS Floor Stand, PLS MLB Magnetic L-Bracket, PLS GRT4 Green Reflective Target



Specifications	
Accuracy	≤ 1/8 in at 30 ft (≤ 3 mm @ 10 m)
Self-leveling range	4°
Power supply	BP5 (3xAA)
Operating time	+ 30 hours continuous (red only)
Dimensions	4.6 in x 2.5 in x 4.1 in (116 mm x 64 mm x 104 mm)
Weight	1.3 lbs (0.6 kg)
Drop test	3 ft (1 m)
Water and dust protection	IP54
Warranty	Three year best-in-class warranty

PLS Part #	Description
PLS-60573	Canvas pouch
PLS FS	Floor stand for PLS 3, 5, 6
PLS MLB	Magnetic L-bracket, PLS 3, 5, 6, 180
PLS BP5	BP5 alkaline battery pack
PLS RRT4	Red magnetic reflective target
PLS GRT4	Green magnetic reflective target
PLS C18	Laser level tool box
PLS RBP5	Rechargeable Li-ion battery for PLS hand held lasers with charging cord and adapters
PLS TPOD300	Elevating tripod



PLS 5R, 5G

5-point laser

The PLS 5 is a self-leveling five-point red and green laser level (plumb and square horizontal and vertical points) equipped for





PLS 5R

PLS 5G

plumb, level, and square applications.

- In red and green
- Quick plumb layout and installation
- Pendulum lock

Class II Laser Product

	Class II Laser Product
PLS Part #	Description
PLS 5R Z	5-point red laser bare tool
	Included: PLS 5R laser level, PLS canvas pouch, PLS BP5 alkaline battery pack
PLS 5R KIT	5-point red laser kit
	Included: PLS 5R laser level, PLS FS Floor Stand, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS-10090 Pendulum Target, PLS RRT4 red reflective target
PLS 5G Z	5-point green laser bare tool
	Included: PLS 5G laser level, PLS FS Floor Stand, PLS canvas pouch, PLS BP5 alkaline battery pack
PLS 5G KIT	5-point green laser kit
	Included: PLS 5G laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS-10090 Pendulum Target, PLS GRT4 green reflective target



Specification	
Accuracy	≤ 1/8 in at 30 ft (≤ 3 mm @ 10 m)
Self-leveling range	4°
Power supply	BP5 (3xAA)
Operating time	+ 30 hours continuous (red only)
Dimensions	4.6 in x 2.5 in x 4.1 in (116 mm x 64 mm x 104 mm)
Weight	1.3 lbs (0.6 kg)
Drop test	3 ft (1 m)
Water and dust protection	IP54
Warranty	Three year best-in-class warranty

PLS Part #	Description
PLS-60573	Canvas pouch
PLS FS	Floor stand for PLS 3, 5, 6
PLS MLB	Magnetic L-bracket, PLS 3, 5, 6, 180
PLS BP5	BP5 alkaline battery pack
PLS RRT4	Red magnetic reflective target
PLS GRT4	Green magnetic reflective target
PLS C18	Laser level tool box
PLS-10090	Pendulum layout target
PLS RBP5	Rechargeable Li-ion battery for PLS hand held lasers with charging cord and adapters
PLS TPOD300	Elevating tripod

PLS 180R, 180G

Cross line laser

This self-leveling cross line laser level in both red and green is designed for multiple applications including framing, acoustic ceiling installation, tile installation, and other residential and commercial construction tasks.

- In red and green
- Quick layout and installation projects
- Pendulum lock



PLS 180R



PLS 180G

Class II Laser Product

	Class II Laser Product
PLS Part #	Description
PLS 180R Z	Cross line red laser bare tool
	Included: PLS 180R laser level, PLS MLB Magnetic L-Bracket, PLS canvas pouch, PLS BP5 alkaline battery pack
PLS 180R KIT	Cross line red laser kit
	Included: PLS 180R laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS UB9 universal ceiling and wall bracket, PLS MLB magnetic L-bracket, PLS RRT4 red reflective target
PLS 180R SYS	Cross line red laser system
	Included: PLS 180R laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS SLD RED laser line detector, PLS 60520 SLD clamp, PLS UB9 universal ceiling and wall bracket, PLS MLB magnetic L-bracket, PLS RRT4 red reflective target
PLS 180G Z	Cross line green laser bare tool
	Included: PLS 180G laser level, PLS MLB Magnetic L-Bracket, PLS canvas pouch, PLS BP5 alkaline battery pack
PLS 180G KIT	Cross line green laser kit
	Included: PLS 180G laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS UB9 universal ceiling and wall bracket, PLS MLB magnetic L-bracket, PLS GRT4 green reflective target



PLS Part #	Description
PLS 180G SYS	Cross line green laser system
	Included: PLS 180G laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS SLD GREEN laser line detector, PLS 60520 SLD clamp, PLS UB9 universal ceiling and wall bracket, PLS MLB magnetic L-bracket, PLS GRT4 green reflective target

Specification	
Accuracy	≤ 1/8 in at 30 ft (≤ 3 mm @ 10 m)
Self-leveling range	4°
Power supply	BP5 (3xAA)
Horizontal fan angle	≥ 180°
Vertical fan angle	≥ 130°
Operating time	+ 30 hours continuous (red only)
Dimensions	4.6 in x 2.5 in x 4.1 in (116 mm x 64 mm x 104 mm)
Weight	1.3 lbs (0.6 kg)
Drop test	3 ft (1 m)
Water and dust protection	IP54
Warranty	Three year best-in-class warranty

PLS Part #	Description
PLS-60573	Canvas pouch, PLS 180, 3, 5, 6
PLS MLB	Magnetic L-bracket, PLS 3, 5, 6, 180
PLS BP5	BP5 Alkaline battery pack
PLS RRT4	Red magnetic reflective target
PLS GRT4	Green magnetic reflective target
PLS C18	Laser level tool box
PLS UB9	Universal ceiling and wall bracket
PLS RBP5	Rechargeable Li-ion battery for PLS hand held lasers with charging cord and adapters
PLS TPOD300	Elevating tripod

PLS 6R, 6G

Cross line with 4-point lasers

Plumb, level, and square with one tool. This professional self-leveling combination point and cross line laser level in red and green includes vertical and horizontal modes with lines and points combined.

- In red and green
- Plumb, level, and square with one tool
- Pendulum lock



PLS 6R



PLS 6G

Class II Laser Product

	Class II Laser Product
PLS Part #	Description
PLS 6R Z	Cross line and point red laser bare tool
	Included: PLS 6R laser level, PLS FS Floor stand, PLS MLB Magnetic L-Bracket ,PLS canvas pouch, PLS BP5 alkaline battery pack
PLS 6R KIT	Cross line and point red laser kit
	Included: PLS 6R laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS UB9 universal ceiling and wall bracket, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS RRT4 red reflective target
PLS 6R SYS	Cross line and point red laser system
	Included: PLS 6R laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS SLD RED laser line detector, PLS 60520 SLD clamp, PLS UB9 universal ceiling and wall bracket, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS RRT4 red reflective target
PLS 6G Z	Cross line and point green bare tool
	Included: PLS 6G laser level, PLS FS Floor stand, PLS MLB Magnetic L-Brack- et, PLS canvas pouch, PLS BP5 alkaline battery pack
PLS 6G KIT	Cross line and point green laser kit
	Included: PLS 6G laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS UB9 universal ceiling and wall bracket, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS GRT4 green reflective target



PLS Part #	Description
PLS 6G SYS	Cross line and point green laser system
	Included: PLS 6G laser level, PLS canvas pouch, PLS BP5 alkaline battery pack, PLS SLD GREEN laser line detector, PLS SLD clamp, PLS UB9 universal ceiling and wall bracket, PLS FS floor stand, PLS MLB magnetic L-bracket, PLS GRT4 green reflective target

Specification	
Accuracy	≤ 1/8 in at 30 ft (≤ 3 mm @ 10 m)
Self-leveling range	4°
Power supply	BP5 (3xAA)
Operating time	+ 30 hours continuous (red only)
Dimensions	4.6 in x 2.5 in x 4.1 in (116 mm x 64 mm x 104 mm)
Weight	1.3 lbs (0.6 kg)
Drop test	3 ft (1 m)
Water and dust protection	IP54
Warranty	Three year best-in-class warranty

PLS Part #	Description
PLS-60573	Canvas pouch, PLS 180, 3, 5, 6
PLS FS	Floor stand for PLS 3, 5, 6
PLS MLB	Magnetic L-bracket, PLS 3, 5, 6, 180
PLS BP5	BP5 alkaline battery pack
PLS RRT4	Red magnetic reflective target
PLS GRT4	Green magnetic reflective target
PLS C18	Laser level tool box
PLS UB9	Universal ceiling/wall bracket
PLS SLD RED	Red SLD detector
PLS SLD GREEN	Green SLD detector
PLS RBP5	Rechargeable Li-ion battery for PLS hand held lasers with charging cord and adapters
PLS TPOD300	Elevating tripod

Combo lasers

3x360

Three-plane Laser Levels

The 3x360 combines all of the best qualities of your favorite PLS gear, now with best-in-class accuracy and new features such as a rechargeable battery pack with charging adapter and a pendulum lock for added protection during transportation.

- In red and green
- First PLS laser with 3-beam laser technology integrated to automatic pendulum
- Superior-range detector for your challenging work environments



3x360R



3x360G

Class II Laser Product

	Class II Lasel I Toduct
PLS Part #	Description
PLS 3X360R Z	Red three-plane laser bare tool
	Included: 3X360R tool, canvas pouch
PLS 3X360R	Red three-plane laser kit
KIT	Included: 3X360R tool, RBP5 (Li-lon), power supply, 3X360 magnetic L-bracket, red reflective target, canvas pouch, blow moldcase
PLS 3X360G Z	Green three-plane laser bare tool
	Included: 3X360G tool, canvas pouch
PLS 3X360G KIT	Green three-plane laser kit
	Included: 3X360G tool, RBP5 (Li-lon), power supply, 3X360 magnetic L-bracket, green reflective target, canvas pouch, blow mold case



Specification	
Accuracy	± 5/64 in @ 33 ft (± 2 mm @ 10 M)
Range	3x360R: 65 ft (20 M) without line detector; 165 ft (50 M) with line detector 3x360G: 115 ft (35 M) without line detector; 210 ft (65 M) with line detector
Self-leveling range	≤ 4°
Dimensions	5.12 in x 3.58 in x 5.25 in
Weight	1.76 lbs (0.8 kg) including battery
Power supply	Lithium-ion, 3.6 V, 5200 mAh
Warranty	Three year best-in-class warranty

PLS Part #	Description
PLS HGI3X360R	PLS housing glass insert for PLS 3X360R
PLS HGI3X360G	PLS housing glass insert for PLS 3X360G
PLS 3X360 MLB	Magnetic L-bracket w/ micro and elevation adj
PLS 3X360 CB	Ceiling bracket used w/ PLS 3X360 MLB
PLS 3X360 HC	PLS 3X360 blow mold hard case
PLS RRT4	Red magnetic reflective target
PLS GRT4	Green magnetic reflective target
PLS RBP5	Li-lon battery for PLS hand held lasers with charging cord and adapters
PLS RBP SINGLE PK	Single pack RBP5 Li-lon battery for PLS line and dot lasers
PLS RBC5	Charging cord with adapters for RBP5 Li-lon battery
PLS XLD+	Universal line/rotary detector for red and green beam
PLS TPOD300	Elevating tripod

Rotary lasers

PLS H2

Horizontal-only rotary laser

The H2 laser is a horizontal-only rotary laser designed for interior and exterior projects and offers a simple one-button operation.

- One-button foundation or ground leveling
- Ideal for concrete or suspended ceilings
- Easy-to-use ergonomic grips



Class II Laser Product

	Olass II Easel I Toddot
PLS Part #	Description
PLS H2 Z	Horizontal red rotary laser bare tool
	Included: PLS H2 rotary laser level, PLS BP10 alkaline battery tray
PLS H2 SYS	Horizontal red rotary laser system
	Included: PLS H2 rotary laser level, PLS BP10 alkaline battery tray, PLS RBP10 NiMH rechargeable battery tray with BC20 universal charging cord, PLS XLD rotary laser detector, PLS XLD clamp, PLS RRT4 red reflective target
PLS H2 KIT	Horizontal red rotary laser kit
	Included: PLS H2 rotary laser level, PLS BP10 alkaline battery tray, PLS RBP10 NiMH rechargeable battery tray with BC20 universal charging cord, PLS XLD rotary laser detector, PLS XLD clamp, PLS RRT4 red reflective target, PLS TPOD500 elevator tripod, PLS GR16 grade rod





Specifications	
Accuracy	≤ 3/32 in at 100 ft (2.4 mm at 30 m)
Working range	Radius ± 1000 ft (304 m) with detector
Self-leveling range	± 5°
Dimensions	8 in x 7 in x 6 in
Weight	4.7 lbs (2.1 kg) unit only
Power supply	4xD Alkaline or NiMH rechargeable pack
Dust and water protection	IP67
Drop test	3 ft (1 m)
Warranty	Three year best-in-class warranty

PLS Part #	Description
PLS RRT4	Red magnetic reflective target
PLS RC2	Rotary laser remote control
PLS XLD	Rotary laser detector with clamp
PLS XLD CLAMP	Rotary detector clamp
PLS C19	Rotary laser carrying case
PLS BP10	Rotary alkaline battery for H2, HV2
PLS RBP10	Rechargeable battery for H2, HV2
PLS XLD+	Universal line/rotary detector for red and green beam
PLS BC20	Charging cord for PLS RBP10
PLS WCB10	Rotary wall and ceiling mount
PLS GR16	Grade rod with US and metric
PLS TPOD500	Elevating tripod

PLS HV2R, HV2G

Horizontal/vertical rotary

The HV2R and HV2G rotary laser level emits a self-leveling horizontal laser plane and a self-leveling vertical laser plane with a simultaneous 90-degree split beam.





HV2R

HV2G

- Available in red or green
- Manual slope
- Up dot for alignment tasks

Class II Laser Product

PLS Part #	Description
PLS HV2R Z	Manual slope red rotary laser bare tool
	Included: PLS HV2R rotary laser level, PLS BP10 alkaline battery tray
PLS	Manual slope red rotary laser system
HV2R SYS	Included: PLS HV2R rotary laser level, PLS BP10 alkaline battery tray, PLS RBP10 NiMH rechargeable battery tray with BC20 universal charging cord, PLS RC2 Remote Control, PLS XLD Rotary Laser Detector, PLS XLD Clamp, PLS WCB10 Rotary Wall and Ceiling Mount, PLS RRT4 Red Reflective Target
PLS	Manual slope red rotary laser kit
HV2R KIT	Included: PLS HV2R rotary laser level, PLS BP10 alkaline battery tray, PLS RBP10 NiMH rechargeable battery tray with BC20 universal charging cord, PLS RC2 Remote Control, PLS XLD Rotary Laser Detector, PLS XLD Clamp, PLS WCB10 Rotary
	Wall and Ceiling Mount, PLS RRT4 Red Reflective Target, PLS TPOD500 Elevator Tripod, PLS GR16 Grade Rod
PLS HV2G 7	Wall and Ceiling Mount, PLS RRT4 Red Reflective Target, PLS TPOD500 Elevator



PLS Part #	Description
PLS	Manual slope green rotary laser system
HV2G SYS	Included: PLS HV2G rotary laser level, PLS BP10 alkaline battery tray, PLS RBP10 NiMH rechargeable battery tray with BC20 universal charging cord, PLS RC2 Remote Control, PLS XLD Rotary Laser Detector, PLS XLD Clamp, PLS WCB10 Rotary Wall and Ceiling Mount, PLS GRT4 Green Reflective Target
PLS	Manual slope green rotary laser kit
HV2G KIT	Included: PLS HV2G rotary laser level, PLS BP10 alkaline battery tray, PLS RBP10 NiMH rechargeable battery tray with BC20 universal charging cord, PLS RC2 Remote Control, PLS XLD Rotary Laser Detector, PLS XLD Clamp, PLS WCB10 Rotary Wall and Ceiling Mount, PLS GRT4 Green Reflective Target, PLS TPOD500 Elevator Tripod, PLS GR16 Grade Rod

Specifications	
Accuracy	≤ 3/32 in at 100 ft (2.4 mm at 30 m)
Working range	Radius ± 1000 ft (304 m) with detector
Self-leveling range	± 5°
Manual slope range	± 5°
Dimensions	8 in x 7 in x 6 in
Weight	4.7 lbs (2.1 kg) unit only
Power supply	3xD Alkaline or NiMH rechargeable pack
Dust and water protection	IP67
Drop test	3 ft (1 m)
Warranty	Three year best-in-class warranty

PLS Part #	Description
PLS RRT4	Red magnetic reflective target
PLS RC2	Rotary laser remote control
PLS XLD	Rotary laser detector with clamp
PLS XLD CLAMP	Rotary detector clamp
PLS C19	Rotary laser carrying case
PLS BP10	Rotary alkaline battery for H2, HV2
PLS RBP10	Rechargeable battery for H2, HV2
PLS BC20	Charging cord for PLS
PLS WCB10	Rotary wall and ceiling mount
PLS GR16	Grade rod with US and metric
PLS TPOD500	Elevating tripod

Designed to increase the utility of your PLS laser alignment tools

Your PLS laser will include accessories that help you get the most value from your purchase.

Replacement or additional accessories are available through your authorized PLS dealer.

Detectors

PLS Part #	Description
PLS-60520	PLS SLD detector clamp
	Compatible with: PLS SLD RED; PLS SLD GREEN; PLS-60533; PLS-60618
PLS SLD RED	SLD red detector with clamp
	Compatible with: PLS 6R; PLS 180R; PLS 360; PLS 480; HVL 100; PLS 180 (former versions)
PLS SLD GREEN	SLD green detector with clamp
	Compatible with: PLS 6G; PLS 180G; PLS 180 Green (former versions)
PLS XLD	Rotary laser detector with clamp
	Compatible with: PLS H2; PLS HV2R; PLS HV2G; PLS HR1000; PLS HVR505R; PLS HVR505G; PLS HDR1000
PLS XLD CLAMP	Rotary detector clamp
	Compatible with: PLS XLD
PLS XLD+	Universal line/rotary detector for red and green beam
	Compatible with: PLS 6R, PLS 6G, PLS 180R, PLS 180G, PLS 3X360R, PLS 3X360G







PLS SLD GREEN



Tripods and grade rods

PLS Part #	Description
PLS-20512	5/8-11" thread exterior tripod with 1/4-20" adapter
	Compatible with: all 5/8-11" or 1/4-20" thread laser levels or devices
PLS-20513	9'6" telescoping tripod - 5/8-11" thread with 1/4-20" adapter
	Compatible with: all 5/8-11" or 1/4-20" thread laser levels or devices
PLS GR16	16' Grade Rod with US and Metric
	Compatible with: PLS-60520; PLS XLD CLAMP; PLS-20850
PLS TPOD300	The PLS TPOD 300 Elevating Tripod is a heavy-duty tripod designed for interior or exterior use with PLS line laser levels
	Compatible with: PLS180, PLS6, PLS3, PLS5, PLS3x360
PLS TPOD500	9.75' telesoping tripod. 5/8-11" thread
	Compatible with: PLS H2; PLS HV2R; PLS HV2G; PLS HR1000; PLS HVR505R; PLS HVR505G; PLS HDR1000



PLS-20512 5/8-11-Thread exterior tripod with 1/4-20 adapter



TPOD300 5/8-11-Thread exterior tripod with 1/4-20 adapter

Batteries and remotes

PLS Part #	Description
PLS RBP5	Li-ion battery for PLS hand held lasers with charging cord and adapters
	Compatible with: PLS 3R; PLS 3G, PLS 5R; PLS 5G; PLS 6R; PLS 6G; PLS 180R; PLS 180G, PLS 3X360R, PLS 3X360G
PLS RBP5 SINGLE PK	Single pack RBP5 Li-ion battery for PLS line and dot lasers
	Compatible with: PLS 3R; PLS 3G, PLS 5R; PLS 5G; PLS 6R; PLS 6G; PLS 180R; PLS 180G, PLS 3X360R, PLS 3X360G
PLS RBC5	Charging cord with adapters for RBP5 Li-ion battery
	Compatible with: PLS 3R; PLS 3G, PLS 5R; PLS 5G; PLS 6R; PLS 6G; PLS 180R; PLS 180G, PLS 3X360R, PLS 3X360G
PLS BP5	BP5 alkaline battery pack
	Compatible with: PLS 3R; PLS 3G, PLS 5R; PLS 5G; PLS 6R; PLS 6G; PLS 180R; PLS 180G, PLS 3X360R, PLS 3X360G
PLS BP10	Rotary alkaline battery for H2, HV2
	Compatible with: PLS H2; PLS HV2R; PLS HV2G
PLS RBP10	Rechargeable battery for H2, HV2
	Compatible with: PLS H2; PLS HV2R; PLS HV2G
PLS BC20	Charging cord for PLS RBP10
	Compatible with: PLS RBP10
PLS RC2	Rotary laser remote control
	Compatible with: PLS HV2R; PLS HV2G



PLS UB9 UB9 universal ceiling/wall bracket



PLS-6200 PLS 360 Ceiling/wall bracket



Floor stands, brackets, and adapters

PLS Part #	Description
PLS FS	Floor stand for PLS 3, 5, 6
	Compatible with: all PLS 3, 5 and 6 models
PLS MLB	Magnetic L-bracket
	Compatible with: PLS 3, 5, 6, 180
PLS UB9	UB9 universal ceiling/wall bracket
	Requires: PLS-20295; PLS-21025; or PLS MLB
PLS WCB10	Rotary wall and ceiling mount
	Compatible with: HVL 100; PLS H2; PLS HV2R; PLS HV2G; PLS HR1000; PLS HVR505R; PLS HVR505G; PLS HDR1000
	PLS 3X360 Magnetic L-Bracket
	Compatible with: 3X360

Targets

PLS Part #	Description
PLS Part #	Description
PLS-10090	PLS pendulum layout target
PLS RRT4	Red magnetic reflective target
	Compatible with: all red laser levels
PLS GRT4	Green magnetic reflective target
	Compatible with: all green laser levels
PLS-60620	PLS Reflective laser target for exterior
	Compatible with: all laser levels



PLS-60620 Reflective laser target



PLS-10090 Pendulum target





Our best-in-class warranty

PLS laser tools are **THE PROFESSIONAL STANDARD** and we stand behind that with our best-in-class warranty program. The PLS warranty covers product workmanship for 3 years. If you experience any issues with your PLS tools during the warranty period, except for obvious misuse or damage, your local dealer can provide a same-day replacement tool, ensuring you don't lose any time on the job.

Please visit the PLS website to process a warranty return directly through Fluke or to learn more about our rotary laser Authorized Service Provider (ASP) program. PLS authorized service providers are capable to provide in-warranty and out-of-warranty calibration and repair on our rotary laser family. All accessories have a one-year warranty.

1.888.993.5853



Visit: www.plslaser.com/warranty Questions? plslaser.orders@fluke.com or

WWW.PLSLASER.COM

Ask your dealer to demonstrate a PLS laser tool.

PLS, A Fluke Company Fluke Corporation PO Box 9090, Everett, WA 98206 U.S.A.

©2018, 2020, 2021 Pacific Laser Systems, a Fluke Company. The PLS5, PLS4, PLS3, PLS180 and PLS FT90 are registered trademarks of PLS (Pacific Laser Systems).

Specifications subject to change without notice. 7/2021 210676-6010158g-en

